

To: CN=Alice Gilliland/OU=CI/O=USEPA/C=US@EPA[]
Cc: Ferguson.Holly@epamail.epa.gov[]
Bcc: []
From: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US
Sent: Tue 7/17/2012 9:23:16 PM
Subject: Re: Fw: Proposed MA
MS+ThU071712.doc

Looks OK to me. I was wondering about doing Hg....it is subject to interference too.

Steve Vandegrift, QA Manager
Ground Water and Ecosystems Restoration Division
NRMRL/ORD/USEPA
P.O. Box 1198
919 Kerr Research Dr.
Ada, OK 74820
(580)436-8684 (voice)
(580)436-8528 (fax)
vandegrift.steve@epa.gov

From: Alice Gilliland/CI/USEPA/US
To: Ferguson.Holly@epamail.epa.gov, Vandegrift.Steve@epamail.epa.gov
Date: 07/17/2012 04:06 PM
Subject: Fw: Proposed MA

FYI and your quick review if you can - Rick is looking at it

----- Forwarded by Alice Gilliland/CI/USEPA/US on 07/17/2012 05:05 PM -----

From: MichaelS Johnson/DC/USEPA/US
To: Alice Gilliland/CI/USEPA/US@EPA
Cc: Lori Maldini/DC/USEPA/US@EPA, "Abousaeedi, Nazy" <fabousaeedi@fedcsc.com>
Date: 07/17/2012 04:55 PM
Subject: Proposed MA

Michael S. Johnson

US Environmental Protection Agency
Office of Solid Waste and Emergency Response
Office of Superfund Remediation and Technology Innovation
Analytical Services Branch (MC 5203P)
1200 Pennsylvania Ave, NW
Washington, DC 20460

Office: (703) 603-0266
johnson.michaels@epa.gov